Author Index

Adams, R. W., see Kee, T. G. 441
Ader, J. C., see Dobrev, A. A. 268
Aetake, A., see Yoshida, T. 175
Alonso, R., see Ferrer, E. 327
Amsden, W. B., see Wilson, T. D. 299
Andersson, B.
Thermal degradation of weldable poly(vinyl chloride) samples at low temperatures 353
Ando, S., see Hirabayashi, Y. 377
Antoniadou-Vyza, A., see Tsantili-Kakoulidou, A. 317
Araki, M., see Barnhart, E. R. 145
Barnhart, E. R.
——, Patterson, Jr., D. G., Tanaka, N. and Araki, M.
Reversed-phase liquid chromatography of the twenty-two tetrachlorodibenzo-*p*-dioxin isomers on pyrenylethyl and octadecylsilylated silica gel columns 145
Bauer, J.
——, Linton, C. and Norris, B.
Stability-indicating high-performance liquid chromatographic analysis of tin protoporphyrins 429
Bayliss, M. A. J.
——, Homer, R. B. and Shepherd, M. J.
Anthracene-9-carbonyl chloride as a fluorescence and ultraviolet derivatising reagent for the high-performance liquid chromatographic analysis of hydroxy compounds 393
——, Homer, R. B. and Shepherd, M. J.
Determination of diethylene glycol in wine by high-performance liquid chromatography using anthracene-9-carbonyl chloride as a derivatising reagent 403
Bažant, L.
——, Wurst, M. and Smolková-Keulemansová, E.
β-Cyclodextrin as a selective agent for separation of selected aromatic acids by high-performance liquid chromatography 337
Beck, R. H. F.
—— and Uchiyama, T.
Activity staining of inulin fructotransferase II on polyacrylamide gels 282
Begley, P.
——, Foulger, B. and Simmonds, P.
Femtogram detection of perfluorocarbon tracers using capillary gas chromatography–electron-capture negative ion chemical ionisation mass spectrometry 119
Blaise, A., see Larroque, M. 107
Blitterswijk, H. van, see Van Ginkel, L. A. 385
Bosch, D. van den, see Van Ginkel, L. A. 385
Brinkman, U. A. Th., see Maris, F. A. 129
Brun, S., see Larroque, M. 107
Buffham, B. A., see Rathor, M. N. 37
Busson, R., see Cachet, Th. 290
Cachet, Th.
——, Haest, G., Busson, R., Janssen, G. and Hoogmartens, J.
Isolation of erythromycin E from commercial erythromycin 290
Carpita, N. C., see Shea, E. M. 424
Charbonneau, C. F., see Lawrence, J. F. 189
Chen, Y.-F., see Meng, Q. C. 29
Cole, M. D.
——, Fellows, L. E. and Romeo, J. T.
Separation of hydroxy and polyhydroxy derivatives of 2-carboxy and 2-hydroxymethyl piperidine and pyrrolidine by high-performance liquid chromatography 295
Collins, F. W.
—— and Mullin, W. J.
High-performance liquid chromatographic determination of avenanthramides, N-aroylanthranilic acid alkaloids from oats 363
Dautrevaux, M., see Maes, P. 409
De Jong, G. J., see Maris, F. A. 129
Delucas, L. J., see Meng, Q. C. 29
Diehl, H. A., see Düren, R. 49
Dobrev, A. A.
——, Ader, J. C. and Lattes, A.
High-performance liquid chromatographic analysis of the *endo–exo* isomer ratio in the 5-substituted 2-norbornene series 28
Douse, J. M. F.
Trace analysis of explosives by capillary supercritical fluid chromatography with thermal energy analysis detection 244
Düren, R.
—— and Diehl, H. A.
Quantitative structure–activity relationship of coumarin derivatives. Involvement of partition between aqueous and membrane phase 49
Ellinwood, Jr., E. H., see Gupta, S. K. 310
Elson, C. M., see Sim, P. G. 239
Euerby, M. R.
——, Partridge, L. Z. and Gibbons, W. A.
High-performance liquid chromatographic determination of lombricine and N-phosphoryl lombricine in the earthworm by precolumn fluorescence derivatisation with *o*-phthaldialdehyde–ethanethiol 433

Farré, R.
——, Font, G. and Fuster, A.
Determination of 5-nitrofurylacrylic acid in wines by high-performance liquid chromatography 264
Fellows, L. E., see Cole, M. D. 295
Ferrer, E.
——, Martin, M., Alonso, R. and Luque, J.
Partitioning behaviour in aqueous two-phase systems and fractionation by counter-current distribution of chick-embryo erythrocytes with numerical resolution of distribution curves 327
Font, G., see Farré, R. 264
Formstecher, P., see Maes, P. 409
Foulger, B., see Begley, P. 119
Fournié, J.-J., see Rivière, M. 87
Fuster, A., see Farré, R. 264
Galindo, I. C.
—— and Tarter, J. G.
Causes for the loss of resolution in an ion chromatography resin 211
Galushko, S. V.
——, Shishkina, I. P. and Pilipenko, A. T.
Reversed-phase high-performance liquid chromatography of pyrimidine bases and nucleosides. Application of solvophobic theory 59
Geerdink, R. B.
Determination of aniline derivatives by high-performance liquid chromatography with fluorescence detection 273
Gibbons, W. A., see Euerby, M. R. 433
Ginkel, L. A. van, see Van Ginkel, L. A. 385
Griffin, R. M. E.
——, Kee, T. G. and Adams, R. W.
High-performance liquid chromatographic system for the separation of basic dyes 441
Gupta, S. K.
—— and Ellinwood, Jr., E. H.
Liquid chromatographic determination of halazepam in commercial tablets 310
Haar, J. van der, see Van der Haar, J. 219
Haerdi, W., see Veuthey, J. L. 183
Haest, G., see Cachet, Th. 290
Hais, I. M.
PC 314
Halling, P. J., see McLellan, D. W. 251
Henatsch, J. J.
—— and Jüttner, F.
Capillary gas chromatographic analysis of low-boiling organic sulphur compounds in anoxic lake-water by cryoadsorption 97
Hirabayashi, Y.
——, Nakao, T., Matsumoto, M., Obata, K. and Ando, S.
Improved method for large-scale purification of brain gangliosides by Q-Sepharose column chromatography. Immunochemical detection of C-series polysialogangliosides in adult bovine brains 377
Homer, R. B., see Bayliss, M. A. J. 393, 403
Hoogmartens, J., see Cachet, Th. 290
Horváth, Cs., see Maa, H.-F. 71
Ishii, D., see Takeuchi, T. 139
Ito, Y., see Zhang, T.-Y. 199
Janssen, G., see Cachet, Th. 290
Jong, G. J. de, see Maris, F. A. 129
Jüttner, F., see Henatsch, J. J. 97
Karol, P. J.
Chromatogram statistical moments from columns of finite length 207
Kato, Y., see Moriyama, H. 225
——, see Nakamura, K. 234
Kee, T. G., see Griffin, R. M. E. 441
Kinoshita, T., see Yoshida, T. 175
Kip, J., see Van der Haar, J. 219
Kraak, J. C., see Van der Haar, J. 219
Larroque, M.
——, Vian, L., Blaise, A. and Brun, S.
Méthodes de dosage des monomères résiduals des résines époxydiques dans des simulants du vin 107
Lattes, A., see Dobrev, A. A. 268
Lawrence, J. F.
—— and Charbonneau, C. F.
Direct, sensitive and selective detection of free fatty acids by high-performance liquid chromatography with post-column ion-pair extraction and absorbance detection 189
Linton, C., see Bauer, J. 429
Luque, J., see Ferrer, E. 327
Lustenberger, P., see Maes, P. 409
Maa, H.-F.
—— and Horváth, Cs.
Rapid analysis of proteins and peptides by reversed-phase chromatography with polymeric micropellicular sorbents 71
McLellan, D. W.
—— and Halling, P. J.
Preparation and chromatographic analysis of poly(3-hydroxybutyrate) hydrolysis products 251
Maes, P.
——, Formstecher, P., Lustenberger, P. and Dautrevaux, M.
High-performance liquid chromatography in the evaluation of the lipophilicity of 17β-carboxamide steroid derivatives 409

Mai, W., see Riis, V. 285
Maloney, T., see Wilson, T. D. 299
Maris, F. A.
——, Stāb, J. A., De Jong, G. J. and Brinkman, U. A. Th.
On-line trace enrichment on a reversed-phase pre-column for normal-phase liquid chromatography with electron-capture detection 129
Martin, M., see Ferrer, E. 327
Mason, G., see Rathor, M. N. 37
Matsumoto, M., see Hirabayashi, Y. 377
Meng, Q. C.
——, Chen, Y.-F., Delucas, L. J. and Oparil, S.
Effect of steric exclusion on the separation of proteins by hydrophilic size-exclusion chromatography 29
Monsarrat, B., see Rivière, M. 87
Moriyama, H.
—— and Kato, Y.
New reversed-phase high-performance liquid chromatographic column for oligonucleotide separation 225
Mullin, W. J., see Collins, F. W. 363
Murase, K., see Takeuchi, T. 139
Murphy, P. A., see O'Keefe, S. F. 305
Nakamura, K.
——, Toyoda, K. and Kato, Y.
High-performance affinity chromatography of proteins on TSKgel Heparin-5PW 234
Nakao, T., see Hirabayashi, Y. 377
Nimura, N., see Yoshida, T. 175
Norris, B., see Bauer, J. 429
O'Keefe, S. F.
—— and Murphy, P. A.
Rapid determination of vitamin D in fortified skim milk 305
Obata, K., see Hirabayashi, Y. 377
Oparil, S., see Meng, Q. C. 29
Pannell, L. K., see Zhang, T.-Y. 199
Partridge, L. Z., see Euerby, M. R. 433
Patterson, Jr., D. G., see Barnhart, E. R. 145
Pilipenko, A. T., see Galushko, S. V. 59
Prewitt, M. L., see Wooten, A. L. 371
Puzo, G., see Riviere, M. 87
Quilliam, M. A., see Sim, P. G. 239
Rathor, M. N.
——, Buffham, B. A. and Mason, G.
Determination of the volumes of void zones in packed chromatographic columns 37
Riis, V.
—— and Mai, W.
Gas chromatographic determination of poly-β-hydroxybutyric acid in microbial biomass after hydrochloric acid propanolysis 285
Rivière, M.
——, Fournié, J.-J., Monsarrat, B. and Puzo, G.
Identification of partially methylated methyl glycosides by gas chromatography–mass spectrometry of trimethylsilyl derivatives. Application to mycobacterial glycolipid antigen analysis 87
Romeo, J. T., see Cole, M. D. 295
Schott, H.
Präparative Darstellung von Homologen der Oligoribouridylsäure durch selektive Partialhydrolyse von RNA 155
Sellers, Jr., T., see Wooten, A. L. 371
Senn, J. P., see Veuthey, J. L. 183
Shea, E. M.
—— and Carpita, N. C.
Separation of partially methylated alditol acetates on SP-2330 and HP-1 vitreous silica capillary columns 424
Shepherd, M. J., see Bayliss, M. A. J. 393, 403
Shishkina, I. P., see Galushko, S. V. 59
Sim, P. G.
——, Elson, C. M. and Quilliam, M. A.
Use of the photoionisation detector in packed-column supercritical fluid chromatography 239
Šimánek, V., see Válka, I. 258
Simmonds, P., see Begley, P. 119
Smolková-Keulemansová, E., see Bažant, L. 337
Stāb, J. A., see Maris, F. A. 129
Stephany, R. W., see Van Ginkel, L. A. 385
Stover, F. S.
Cationic capillary isotachophoresis of proteins 417
Takeuchi, T.
——, Murase, K. and Ishii, D.
Determination of alcohols in alcoholic beverages by micro high-performance liquid chromatography with indirect photometric detection 139
Tanaka, N., see Barnhart, E. R. 145
Tarter, J. G., see Galindo, I. C. 211
Teller, D. C., see Wooten, A. L. 371
Toyoda, K., see Nakamura, K. 234
Tsantili-Kakoulidou, A.
and Antoniadou-Vyza, A.
Hydrophobicity studies on diadamantanyl derivatives. Comparison between calculated partition coefficients and experimental lipophilicity indices determined by revered-phase high-performance chromatography and thin-layer chromatography 317
Uchiyama, T., see Beck, R. H. F. 282

Válka, I.
—— and Šimánek, V.
Determinations of alkaloids of *Fumaria parviflora* and *Fumaria capreolata* by high-performance liquid chromatography and capillary isotachophoresis 258
Van Blitterswijk, H., see Van Ginkel, L. A. 385
Van den Bosch, D., see Van Ginkel, L. A. 385
Van der Haar, J.
——, Kip, J. and Kraak, J. C.
Effect of the mobile phase composition and ligand structure on the separation of D- and L-dansylamino acids, as mixed metal complexes, by reversed-phase high-performance liquid chromatography 219
Van Ginkel, L. A.
——, Van Blitterswijk, H., Zoontjes, P. W., Van den Bosch, D. and Stephany, R. W.
Assay for trenbolone and its metabolite 17α-trenbolone in bovine urine based on immunoaffinity chromatographic clean-up and off-line high-performance liquid chromatography–thin-layer chromatography 385
Vermeulen, N. P. E., see Xu, B. 1
Veuthey, J. L.
——, Senn, J. P. and Haerdi, W.
Low-cost rapid separation and determination of ionic species by single-column ion chromatography 183
Vian, L., see Larroque, M. 107
Wilson, T. D.
——, Maloney, T. and Amsden, W. B.
High-performance liquid chromatographic determination of fentanyl citrate in a parenteral dosage form 299
Wooten, A. L.
——, Prewitt, M. L., Sellers, Jr., T. and Teller, D. C.
Gel filtration chromatography of resole phenolic resins 371
Wurst, M., see Bažant, L. 337
Xiao, R., see Zhang, T.-Y. 199
Xiao, Z.-Y., see Zhang, T.-Y. 199
Xu, B.
—— and Vermeulen, N. P. E.
Preparation of wall-coated open-tubular capillary columns for gas chromatography (Review) 1
Yamaguchi, H., see Yoshida, T. 175
Yoshida, T.
——, Aetake, A., Yamaguchi, H., Nimura, N. and Kinoshita, T.
Determination of carnitine by high-performance liquid chromatography using 9-anthryldiazomethane 175
Zhang, T.-Y.
——, Xiao, R., Xiao, Z.-Y., Pannell, L. K. and Ito, Y.
Rapid separation of flavonoids by analytical high-speed counter-current chromatography 199
Zoontjes, P. W., see Van Ginkel, L. A. 385